CYS SERVICES SNAP ALLERGY MEDICAL ACTION PLAN					
Child's Name		(to be completed by I Date of Birth	Health Care Provider)	Date	
Sponsor Name					
Health Care Provider			Health Care Provide	r Phone	
Allergies (pleas	se list)	Δ.	thematic - V	/aa* -	No. (*1 lighter right for accuration)
		A:		es 🗆	No (*Higher risk for severe reaction)
Treatment Plar					
	If a food allergen has been ingest	ed, but no symptoms: _	observe for symp	otoms _	Epinephrine _ Antihistamine _ Albuterol
Observe for Sympt					Number order of Medication
<ul><li>Mouth</li><li>Skin</li></ul>	Itching, tingling or swelling of lips,				_ Epinephrine _ Antihistamine _ Albuterol _ Epinephrine _ Antihistamine _ Albuterol
<ul> <li>Skin</li> <li>Stomach</li> </ul>					Epinephrine Antihistamine Albuterol
Throat*	Tightening of throat, hoarseness, hacking cough _ Epinephrine _ Antihistamine _ Albutero				
• Lung*	Shortness of breath, repetitive coughing, wheezing _ Epinephrine _ Antihistamine _ Albuterol Weak or thready pulse, low blood pressure, fainting, pale, blueness _ Epinephrine _ Antihistamine _ Albuterol				
<ul> <li>Heart*</li> <li>Other*</li> </ul>	weak or thready pulse, low blood	pressure, fainting, pale,	blueness		_ Epinephrine _ Antihistamine _ Albuterol _Epinephrine _ Antihistamine _ Albuterol
	(* Potentially life threatening; the severity	of symptoms can quickly cha	nge)		pp.
Medication Pro		Eninonhring Auto In	iantar 0.2mg	Fninanh	ring Auto Injector 0 15mg
	nject into thigh (circle one):				
-	r second dose of Epinephrine			worsen or o	do not resolve.
Antihistamine:	Giveas	s directed on prescri	ption label		
Albuterol:	Giveas	s directed on prescri	iption label		
May administer second dose of Albuterol afterminutes if symptoms worsen or do not resolve					
Other: Give					
Medication/dose/route					
Emergency Res     Administer	sponse rescue medication as prescribed abov	/e			
<ul> <li>Stay with c</li> </ul>	hild				
Contact pa	rents/guardian				
		·	Hard time breat		a dha dhina an 246 da an a 46 ta an
IF THIS HAPPENS C Chest and neck pulled in with breathing Child is hunched over					
GET EMERGENCY HELP NOW! <ul> <li>Child is struggling to breathe</li> </ul>					
	CALL 911	•	Trouble walking		activity again
<ul> <li>Stops playing and can't start activity again</li> <li>Lips and fingernails are gray or blue</li> </ul>					
How to give EpiPen® or EpiPen® Jr					
	1 - 2	al con	3 Jack	4	4 4 (115)
	Form fist around Pla	ce black end against	Push down HARD	until	Remove EpiPen* and
	EpiPen <sup>®</sup> and pull off out	er mid-thigh, Support child.	a click is heard or and hold in place f	feit	be careful not to touch the needle. Massage
	1777 A 1997 1997 1997 1997 1997 1997 199		seconds.		the injection site for 10 seconds.

Form Updated 30 Mar 2017

Child's Name

Printed Name of Army Public Health Nurse

## **ALLERGY MEDICAL ACTION PLAN ADDITIONAL CONSIDERATIONS** (to be completed by Health Care Provider) Medications for Allergy For children requiring rescue medication, the medication is required to be at program site at all times while child is in care. For youth who self-medicate and carry their own medications, medication must be with the youth at all times. The options of storing "back up" rescue medications at program is available. Field Trip Procedures Rescue medications should accompany child during any off-site activities. The child should remain with staff or parent/guardian during the entire field trip. $\Box$ Yes $\Box$ No Staff members on trip must be trained regarding rescue medication use and this health care plan. • This plan must accompany the child on the field trip. Other (specify)\_ • Self-Medication for School Age/Youth □<u>YES</u>. Youth can self-medicate. I have instructed in the proper way to use his/her medication. It is my professional opinion that he/she SHOULD be allowed to carry and self administer his/her medication. Youth has been instructed not to share medications and should youth violate these restrictions the privilege of self medicating will be revoked and the youth's parents notified. Youth are required to notify staff when carrying medication. OR □ **NO**. It is my professional opinion that SHOULD NOT carry or self administer his/her medication. Bus Transportation should be alerted to child's condition. This child carries rescue medications on the bus. □ Yes □ No • Rescue medications can be found in: Backpack Waistpack On Person Other • □ Yes □ No Child should sit at the front of the bus. • Other (specify): \_ Sports Events Parents are responsible for having rescue medication on hand and administering it when necessary when the child is participating in any CYS sports activity. Volunteer coaches do not administer medications. Parental Permission/Consent Parent's signature gives permission for child/youth personnel who have been trained in medication administration by the CYS nurse/APHN to administer prescribed medicine and to contact emergency medical services if necessary. I also understand my child must have required medication with him/her at all times when in attendance at CYS programs. Youth Statement of Understanding I have been instructed on the proper way to use my medication. I understand that I may not share medications and should I violate these restrictions, my privileges may be restricted or revoked, my parents will be notified and further disciplinary action may be taken. I am also required to notify staff when carrying medication. Follow Up This Allergy Medical Action Plan will be updated/revised whenever medications or child's health status changes. If there are no changes, the Allergy Medical Action Plan will be updated at least every 12 months. Printed Name of Parent/Guardian Date (YYYYMMDD) Parent Signature Printed Name of Youth (if applicable) Date (YYYYMMDD) Youth Signature Stamp of Health Care Provider Health Care Provider Signature Date (YYYYMMDD)

Army Public Health Nurse Signature

(This signature serves as the exception to medication policy)

Date (YYYYMMDD)